Dart Aerospace Ltd. Wednesday, 5/31/2006 7:39:15 AM Kim Johnston User: **Process Sheet Drawing Name** : TUBE ASSEMBLY Customer : CU-DAR001 Dart Helicopters Services **Job Number** : 27296 : 11919 **Estimate Number** : D2003037 P.O. Number : 14 **Part Number** : D2003 REV B : 5/31/2006 This Issue **Drawing Number** Prsht Rev. : N/A **Project Number** First Issue **Drawing Revision** 11/A: Material **Previous Run** : 6/30/2006 Due Date 5 Um: Written By Checked & Approved By : Est Comment **Additional Product** Job Number: Description: Seq. #: **Machine Or Operation:** M304TR0500W035 304 RD Tube .500 x .035W 1.0 10.2286 f(s) Comment: Qty.: 2.0457 f(s)/Unit Total: 304 RD Tube .500 x .035W Cut as per template D2003-037 (23:38 Tong) Make 70 template for D2003-037

Material:1/2"Æ x 0.035" wall AISI 304 SS tubing

Cut: 23:38" long as per Durg D2003 Cut: 23.38" long as per Dwg D2003 Material: M2650-6 Heat sleeve Batch: 1717521 FF 06.08.16 2.0 MS208198J Sleeve Comment: Qty.: 2.0000 Each(s)/Unit Total: 10.0000 Each(s) Qty Part Number Desc FF 06.08.16 MS20819-8J Sleeve 3.0 AN8188J Comment: Qty.: 2.0000 Each(s)/Unit Total: 10.0000 Each(s) Pick Desc Qty Part Number M101189 x5 FF 06.08.16 AN818-8J D3158 4.0

Comment: Qty.:

0.3750 f(s)/Unit Total: 1.8750 f(s)

Heat Shrink 1" x 4.5"

Pick:

Qty Part Number Description D3158-045 Heat shrink Batch

Each

02182

Dart Aerospace Ltd

W/O:		WORK ORDER CHANGES													
DATE	STEP	PROCEDURE CH	Ву	Date	Qty	Approval Mfg / Design Mgr	Approval QC Inspector								
0.08.16	4	perarenent charD3158 too big!	Dave	New Lead with	,	06-08,(4,		le							
			,	,											

NCR:			WORK ORDER NON-CONFORMANCE (NCR)													
		Description of NC		Corrective Action Section B		Verification	Approval	Approval								
DATE STEP		Section A	Initial Action Description Design Mgr Design Mgr		Sign & Date	Section C	Design Mgr	Approval QC Inspector								
				• ·												
		Ż.														
				* ·												

Part No:	PAR #:	Fault Category:	NCR:	Yes No DQA:	Date:
NOTE: Date & initial all entries				QA: N/C Closed:	Date:

Date: Wednesday, 5/31/2006 7:39:15 AM User: Kim Johnston **Process Sheet** Customer: CU-DAR001 Dart Helicopters Services Drawing Name: TUBE ASSEMBLY Job Number: 27296 Part Number: D2003037 Job Number: Seq. #: **Machine Or Operation:** Description: SMALL FAB 1 SMALL & MEDIUM FAB RESOURCE 1 5.0 Comment: SMALL & MEDIUM FAB RESOURCE 1 Form tube as per template D2003-037 Assemble as per Dwg D2003 .06.08.16 QC5 INSPECT WORK TO CURRENT STEP 6.0 Comment: INSPECT WORK TO CURRENT STEP PACKAGING 1 PACKAGING RESOURCE #1 7.0 Comment: PACKAGING RESOURCE #1 Identify and Stock 06/08/18 Location:_S 8.0 DC DOCUMENT CONTROL Jo-08/18 Comment: DOCUMENT CONTROL Inspection Level 21 Job Completion

Dart A	erospace	e Ltd						
W/O:		· · · · · · · · · · · · · · · · · · ·	W	ORK ORDER CHANGES				
DATE STEP		PR	OCEDURE CH	ANGE	Ву	Date Qty	Approval Mfg / Design Mgr	Approval QC Inspector
				•				
NCR:			WORK ORI	DER NON-CONFORMANC	E (NCR))		
	.===	Description of NC		Corrective Action Section B		Verification	Approval	Approval
DATE	STEP	Section A	Initial Design Mgr	Action Description Design Mgr	Sign & Date	Section C	Design Mgr	QC Inspector

NCR:		WORK ORDER NON-CONFORMANCE (NCR)													
		Description of NC		Corrective Action Section B	Verification	Approval	Annacial								
DATE	STEP	Section A	Initial Design Mgr	Action Description Design Mgr	Sign & Date	Section C	Design Mgr	Approval QC Inspector							
							1								
					,										
·															
				•											

Part No:	PAR #:	Fault Category:	NCR:	Yes	No	DQA:	Date:
NOTE: Date & initial all entries	e .			QA: N	1/C C	osed:	Date:





DESIG	DRAWN BY	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA
CHEC	APPROVED	DRAWING NO. REV. B
1	H M	D2003 SHEET 1 OF 2
DATEV		TITLE SCALE
99.0	06.08	206 CABIN HEATER TUBE ASSEMBLIES NTS
Α	90.04.09	NEW ISSUE
В	99.06.08	UPDATE PER TEMPLATES; ADD P/N'S;

RELEASED


P/N	TEMPLATE	HEATSLEEVE LENGTH [†]	CUT LENGTH OF TUBE ²	MS20819-8J SLEEVE	AN818-8J NUT	MS20819-8D SLEEVE	AN818-8D NUT	MS20819-6D SLEEVE	AN818-6D NUT	DESC.	MATERIAL ⁴⁶⁷⁷	VENDOR OR SPEC
D2003-001	T2003-001	5.2	6.00					2	2	TUBE ASS'Y	6061-T6 0.375 OD x 0.035 W	WW-T-700/6
D2003-003	T2003-003	7.3	8.12					2	2	TUBE ASS'Y	6061-T6 0.375 OD x 0.035 W	WW-T-700/6
D2003-005	T2003-005	9.8	10.62					2	2	TUBE ASS'Y	6061-T6 0.375 OD x 0.035 W	WW-T-700/6
D2003-007	T2003-007	20.0	19.63					2	2	TUBE ASS'Y	6061-T6 0.375 OD x 0.035 W	WW-T-700/6
D2003-009	T2003-009	12.38	12.44	-				2	2	TUBE ASS'Y	6061-T6 0.375 OD x 0.035 W	WW-T-700/6
D2003-011	T2003-011	33.31	32.38					2	2	TUBE ASS'Y	6061-T6 0.375 OD x 0.035 W	WW-T-700/6
D2003-013	T2003-013	12.7	13.54					2	2	TUBE ASS'Y	6061-T6 0.375 OD x 0.035 W	WW-T-700/6
D2003-015	T2003-015	17.2	18,00					2	2	TUBE ASS'Y	6061-T6 0.375 OD x 0.035 W	WW-T-700/6
D2003-017	T2003-017	17.0	16.25					2	2	TUBE ASS'Y	6061-T6 0.375 OD x 0.035 W	WW-T-700/6
D2003-019	T2003-019	9.8	10.62			2	2			TUBE ASS'Y	6061-T6 0.500 OD x 0.035 W	WW-T-700/6
D2003-021	T2003-021	N/A	2.25			2	2			TUBE ASS'Y	6061-T6 0.500 OD x 0.035 W	WW-T-700/6
D2003-023	T2003-023	4.5	5.33			2	2			TUBE ASS'Y	.6061-T6 0.500 OD x 0.035 W	WW-T-700/6
D2003-025	T2003-025	9.8	10,60			2	2			TUBE ASS'Y	6061-T6 0.500 OD x 0.035 W	WW-T-700/6
D2003-027	T2003-027	7.25	7.38			2	2			TUBE ASS'Y	6061-T6 0.500 OD x 0.035 W	WW-T-700/6
D2003-029	T2003-029	17.2	18.00			2	2			TUBE ASS'Y	6061-T6 0.500 OD x 0.035 W	WW-T-700/6
D2003-031	T2003-031	14.6	15.38	. 2	2					TUBE ASS'Y	CRES 0.500 OD x 0.035 W	AISI 304
D2003-033	T2003-033	29,75	29.62	2	2					TUBE ASS'Y	CRES 0.500 OD x 0.035 W	AISI 304
D2003-035	T2003-035	24.7	27.00	2	2					TUBE ASS'Y	CRES 0.500 OD x 0.035 W	AISI 304
D2003-037	T2003-037		23.38	¥	_2		·			TUBE ASS'Y	CRES 0.500 OD x 0.035 W	AISI 304
D2003-039	T2003,039	34.0	34.00	2	A					TUBE ASS'Y	CRES 0.500 OD x 0.035 W	AISI 304
D2003-041	T2003-041	6.0	5.88	2	2			`		TUBE ASS'Y	CRES 0.500 OD x 0.035 W	AISI 304
D2003-043	T2008-043	11.7	10.75	2	2					TUBE ASS'Y	CRES 0.500 OD x 0.035 W	AISI 304
D2003-045	T2008-045	3.50	2.44	2	2					TUBE ASS'Y	CRES 0.500 OD x 0.035 W	AISI 304
D2003-047	T2003-047	5.56	5.56	2	2	Ш	1.			TUBE ASS'Y	CRES 0.500 OD x 0.035 W	AISI 304
D2003-049	T2003-049	33.2	34.00	2	2					TUBE ASS'Y	CRES 0.500 OD x 0.035 W	AISI 304
D2003-077	T2003-077	N/A	6.25			1		1	1	JET	6061-T6 0.375 OD x 0.035 W	WW-T-700/6
D2003-101	T2003-101	13.25	13.13		i	1_		2	2	TUBE ASS'Y	6061-T6 0.375 OD x 0.035 W	WW-T-600/6
D2003-103	T2003-103	12.38	12.00			-		2	2	TUBE ASS'Y	6061-T6 0.375 OD x 0.035 W	WW-T-600/6
D2003-105	T2003-105	10.75	10.60			1		2	2	TUBE ASS'Y	6061-T6 0.375 OD x 0.035 W	WW-T-600/6
D2003-107	T2003-107	12.75	12.25					2	2	TUBE ASS'Y	6061-T6 0.375 OD x 0.035 W	WW-T-600/6
D2003-109	T2003-109	8.25	8 125			2	2			TUBE ASS'Y	6061-T6 0.500 OD x 0.035 W	WW-T-600/6
D2003-111	T2003-111	4.75	4.625			5	2			TUBE ASS'Y	6061-T6 0.500 OD x 0.035 W	WW-T-600/6
D2003-116	T2003-116	4.0				-				HEATSLEEVE	M2650-20 CRINKLE-SOFT	STRATOFLEX
D2003-120 D2003-14	T2003-120 T2003-14	4.0								HEATSLEEVE	M2650-16 CRINKLE-SOFT	STRATOFLEX
D2003-14 D2003-16	T2003-14 T2003-16	4.0								HEATSLEEVE	M2650-14 CRINKLE-SOFT	STRATOFLEX
D2003-16 D2003-205	T2003-16	9.75	9.60			-		2	2	HEATSLEEVE TUBE ASS'Y	M2650-16 CRINKLE-SOFT 6061-T6 0.375 OD x 0.035 W	STRATOFLEX WW-T-700/6
D2003-203	T2003-203	3.75	3.75			╌╂┤		2	2	TUBE ASS'Y	6061-T6 0.375 OD x 0.035 W	WW-T-700/8
52555-201	, 2040-201	9.79	3.73			-+1				TUBE MOS T	SHOP C(
											Ţ	
111			1							- / A A A	I/LI C.G.	το
\ \\\\ .	<u>~2</u> 5	,500				Ĺ,	·	24	. /3	3/, /\ \\	ENGINEER	JNG
LAN		`	•					ı	. 13	16 1111	UNCONTROLL	ED COPY

Copyright 1990 by DART AEROSPACE LTD





_ ()		Polys 1786 Marchael Const			
DESIGN	DRAWN BY		AEROSPA KESBURY, ONTARIO,		
CHECKED	APAROVED	DRAWING NO.		REV.	B
46	A	D2003		SHEET 2 OF	2
DATE		TITLE		SCAL	ε
99.06.08		206 CABIN HI	EATER TUBE	ASSEMBLIES NT	S



Notes:

- (1) USE STRATOFLEX M2650-6 CRINKLE-SOFT HEATSLEEVE.
- (2) TUBING ASSEMBLIES TO BE CUT AND BENT IN ACCORDANCE WITH TEMPLATES.
- (3) TUBES TO BE FLARED 30° TO MATE WITH FITTINGS MADE TO MS33514.
- (4) ENSURE SEAMLESS TUBING IS USED.
- (5) INSTALL HEATSLEEVE OVER ALL TUBES WITH A DESIGNATED LENGTH OF HEATSLEEVE PER THE PARTS LIST.
- (6) 5052 (WW-T-700/4) TUBING MAY BE SUBSTITUTED WHEN 6061 TUBING IS NOT AVAILABLE.
- (7) 0.049 WALL THICKNESS CRES TUBING MAY BE SUBSTITUTED WHEN 0.035 IS NOT AVAILABLE.
- (8) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED.

